

### **SUGGESTED BLOWER APPLICATION**



## WEGHO! **BLOWER ACCESSORIES**

#### Blower and Shred 'N' Vac® Rain Gutter Kit

Provides up to 15 ft. of reach with 7 ft. of extension tubes.

Fits PB-2520, PB-255LN, PB-2620, ES-250 PB-265LN, PB-580, and PB-755S.

Part#: 99944100026 Posi-loc™



#### **Curved Tube**

Angled design allows increased control when directing air flow. Fits PB-760LN, PB-770

Part#: E165000730




#### **Blower Strap**

Fits PB-2520, PB-2620, DPB-2500

Part#: 99944100030

## PB-2520





• Double-grid air intake design reduces

A blower with great performance at a great value.

provides rotational control to reduce user fatigue

•	Shoulder harness attachment
	points allow the use of shoulder
	harness (sold separately) to support
	weight of unit

Tool-less access air filter for convenient in-field servicing

Engine (cc)	25.4
Weight (lbs.)	
Fuel Capacity (fl. oz.).	18.6
Max Air Speed at Nozzle (mph)	170
Newton Blowing Force (N) at Nozzle	15.8
Air Volume at Nozzle (CFM)	453
Noise Level (dB(A))*	70

## PB-255LN

#### HANDHELD BLOWER



• Low noise, 65 dB(A)\* output for noise

A low-noise blower that's perfect for noise-sensitive environments.

- sensitive environments
- · Parallel handles aid in directional operation
- · Rubber top handle grip for more comfort
- Flared pipe for increased air speed

\*Per ANSI B175.2-2012

Engine (cc)	25.4
Weight (lbs.)	10.2
Fuel Capacity (fl. oz.).	16.9
Max Air Speed at Nozzle (mph)	191
Newton Blowing Force (N) at Nozzle	13
Air Volume at Nozzle (CFM)	354
Noise Level (dB(A))*	65

## **PB-2620** HANDHELD BLOWER

ECHO's best-in-class handheld blower for on more demanding jobs.



- Double-grid air intake design reduces clogging and interference with user's clothing
- lightweight performance Includes both round and flared pipes for a variety of applications
  - Rubber top handle grip for more comfort
  - Secondary handle improves maneuverability and comfort

Engine (cc)	25.4
Weight (lbs.)	9.8
Fuel Capacity (fl. oz.)	20.3
Max Air Speed at Nozzle (mph)	172
Newton Blowing Force (N) at Nozzle	15.8
Air Volume at Nozzle (CFM)	456
Noise Level (dB(A))*	70



Ideal for residential lawn maintenance with three tools in one: a blower, a vacuum, and a shredder/mulcher.

- Patented 4-blade shredding mechanism reduces debris by a ratio of 12:1
- 2-bushel collection bag with rear zipper for convenient emptying
- Exclusive curved blower tube provides rotational control to reduce user fatigue (when set up as a blower)
- All pipes included to convert from shredder to blower

Engine (cc)	25.4
Weight (lbs.)	12.6
Fuel Capacity (fl. oz.)	16.9
Max Air Speed at Nozzle (mph)	165
Newton Blowing Force (N) at Nozzle	12.5
Air Volume at Nozzle (CFM)	392
Noise Level (dB(A))*	70

# PB-265LN BACKPACK BLOWER Control Cont

Features a lightweight design, making this blower easy to carry for routine lawn maintenance.

- Low noise, 65 dB(A)\* output for noise sensitive environments
- Padded backrest and shoulder straps for comfort
- Variable speed throttle with cruise control for operator convenience
- · Hip-mounted throttle

\*Per ANSI B175.2-2012

Engine (cc)	25.4
Weight (lbs.)	13.3
Fuel Capacity (fl. oz.)	22.3
Max Air Speed at Nozzle (mph)	158
Newton Blowing Force (N) at Nozzle	11
Air Volume at Nozzle (CFM)	375
Noise Level (dB(A))*	65

## PB-58U BACKPACK BLOWER

A blower with increased power, ideal for larger residential chores or entry-level pros.

- Available with hip- (PB-580H) or tube- (PB-580T) mounted throttle with cruise control
- Exclusive vented back pad circulates air around user for increased comfort in hot weather
- Padded backrest and shoulder straps for comfort
- Patented metal wear ring is a useful debris scraper and protects blower pipe from damage

Engine (cc)	58.2
Weight (lbs.)	22.9/22.7
Fuel Capacity (fl. oz.)	62
Max Air Speed at Nozzle (mph)	216
Newton Blowing Force (N) at Nozz	le <b>22</b>
Air Volume at Nozzle (CFM)	517
Noise Level (dB(A))*	70



Professional, value-driven performance, great for large home plots or commercial use.

- Available with hip- (PB-755SH) or tube- (PB-755ST) mounted throttle with cruise control
- Extra flexible tube for cold weather operation
- Wide-angle tube rotation for optimum mobility
- Padded backrest and shoulder straps for comfort

Engine (cc)	63.3
Weight (lbs.) 25.4	/25.1
Fuel Capacity (fl. oz.)	62
Max Air Speed at Nozzle (mph)	233
Newton Blowing Force (N) at Nozzle	28
Air Volume at Nozzle (CFM)	651
Noise Level (dB(A))*	74





The most powerful low-noise blower available.

- · Available with hip- (PB-760LNH) or tube- (PB-760LNT) mounted throttle with cruise control
- Low noise, 65 dB(A)\* output for noise sensitive environments
- Exclusive vented back pad circulates air around user for increased comfort in hot weather
- · Side-mounted, heavy-duty, dual-stage air filtration for long engine life

\*Per ANSI B175.2-2012

Engine (cc)	63.3
Weight (lbs.)	.5/26.2
Fuel Capacity (fl. oz.)	68.3
Max Air Speed at Nozzle (mph)	214
Newton Blowing Force (N) at Nozzle	21
Air Volume at Nozzle (CFM)	535
Noise Level (dB(A))*	65

A powerful, large displacement option for professionals or properties with heavy debris.



- Available with hip- (PB-770H) or tube- (PB-770T) mounted throttle with cruise control
- Padded backrest and shoulder straps for comfort
- Exclusive vented back pad circulates air around user for increased comfort in hot weather
- · Side-mounted, heavy-duty, dual-stage air filtration for long engine life

63.3	Engine (cc)
.5/24.3	Weight (lbs.)24.
68.3	Fuel Capacity (fl. oz.)
234	Max Air Speed at Nozzle (mph)
33	Newton Blowing Force (N) at Nozzle
756	Air Volume at Nozzle (CFM)
74	Noise Level (dB(A))*

## PB-9010 **BACKPACK BLOWER**

The world's most powerful backpack blower with industry leading power to tackle leaves and debris leaving a clean, beautiful outdoor space.



- Available with hip- (PB-9010H) or tube- (PB-9010T) mounted throttle with cruise control
- Exclusive vented back pad circulates air around user for increased comfort in hot weather
- · Heavy-duty padded backrest and shoulder straps for comfort

Engine (cc)	9.9
Weight (lbs.)	.4
Fuel Capacity (fl. oz.)83	5.8
Max Air Speed at Nozzle (mph)2	20
Newton Blowing Force (N) at Nozzle	48
Air Volume at Nozzle (CFM)1,1	10
Noise Level (dB(A))*	80

BLOWERS	PB-2520	PB-255LN	PB-2620	PB-265LN	PB-580H	PB-580T	PB-755SH	PB-755ST	PB-760LNH	PB-760LNT	РВ-770Н	PB-770T	РВ-9010Н	PB-9010T	ES-250
Features and Benefits															
Posi-loc™ pipes for a secure connection	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
i-30" starting system for 30% starting effort reduction				•											
Padded backrest and shoulder straps for comfort				•	•	•	•	•	•	•	•	•	•	•	
Low-noise, 65 dB(A), output for noise-sensitive environments		•		•					•	•					
Pleated, automotive-style air filter for superior filtration			•		•	•	•	•	•	•	•	•	•	•	
Hip-mounted throttle with cruise control				•	•		•		•		•		•		
Tube-mounted throttle with cruise control						•		•		•		•		•	
"L"-style frame for impact damage resistance				•	•	•	•	•	•	•	•	•	•	•	
Leaf guard for keeping debris out of fan intake					•	•	•	•	•	•	•	•	•	•	
Extra-flexible tube for cold weather operation				•	•	•	•	•	•	•	•	•	•	•	
Wide-angle tube rotation for optimum mobility				•	•	•	•	•	•	•	•	•	•	•	
Rotational control for reduced operator fatigue	•														•
Rubber top handle grip for comfort and control		•	•												
Parallel handles for all-position operation		•	•												•
Flared-end pipe for moving heavy or wet debris		•	•												
Throttle with cruise control for operator convenience	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Professional-grade felt air filtration for long engine life	•	•		•											•
35 in. long intake tube for easy reach															•
Patented, 4-blade shredding mechanism for optimum debris reduction															•
2-bushel collection bag with rear zipper for convenient emptying															•

## **SPECIFICATIONS**

Model	Blower Type	Engine Disp. (cc)	Carb. (Purge Pump)	Starting System	Fuel Cap. (fl. oz.)	Air Volume* (CFM-pipe)	Maximum Air Speed* (MPH-pipe)	Newtons (N)	Noise Level dB(A)	Dry Weight** (lbs.)
PB-2520	Handheld	25.4	Yes	Standard	18.6	453	170	15.8	70	8.6
PB-255LN	Handheld	25.4	Yes	Standard	16.9	354	191	13	65	10.2
PB-2620	Handheld	25.4	Yes	Standard	20.3	456	172	15.8	70	9.8
PB-265LN	Backpack	25.4	Yes	i-30™	22.3	375	158	11	65	13.3
PB-580H/T	Backpack	58.2	Yes	Standard	62.0	517	216	22	70	22.9/22.7
PB-755SH/T	Backpack	63.3	Yes	Standard	62	651	233	28	74	25.1/25.4
PB-760LN- H/T	Backpack	63.3	Yes	Standard	68.3	535	214	21	65	26.5/26.2
PB-770H/T	Backpack	63.3	Yes	Standard	68.3	756	234	33	74	24.5/24.3
PB-9010H/T	Backpack	79.9	Yes	Standard	83.8	1,110	220	48	80	26.4/26.7
ES-250	Shred 'N' Vac*	25.4	Yes	Standard	16.9	392	165	12.5	70	12.6

\*per ANSI B175.2-2012 \*\*with blower pipe

