

# POWER PRUNERS®

ECHO Power Pruners provide extra long reach for fast, easy and safe tree pruning while keeping your feet on the ground. Available in either fixed length or telescoping configurations, a Power Pruner can provide a reach of over 12 feet depending on the model (and even longer with optional extensions). The lightweight design and comfortable controls ensure maximum operator comfort. Heavy-duty gearboxes feature dual-sealed bearings and spiral cut steel gears for maximum lubrication, durability and cutting performance. An adjustable oiler delivers the right amount of oil, every time, for exceptional chain lubrication. The chain tensioning system improves cutting performance and extends bar and chain life. ECHO Power Pruners deliver commercial-grade performance and optimum tree care versatility.



## PPF-225 POWER PRUNER

A lightweight, around-the-house pruner for small to medium sized branches.

- i-30™ starter reduces starting effort by 30%
- Magnesium gear case with side access chain tensioner
- Rubber left and right handle grips
- 3 ft. extension also available

Engine (cc) .....	<b>21.2</b>
Weight (lbs.) .....	<b>12.8</b>
Overall Length (in.) .....	<b>94</b>
Bar Length (in.) .....	<b>10</b>
Fuel Capacity (fl. oz.) .....	<b>14.2</b>
Oil Capacity (fl. oz.) .....	<b>6.6</b>



## ECHO® POWER PRUNER® ACCESSORIES



### 3 ft. Extension (Fixed only)

Fits all PPF models.  
Extended reach up to 10 ft. 9 in.

**Part#: 99946400011**



### 4 ft. Extension (Telescoping only)

Fits all PPT models.  
Extended reach up to 16 ft. 2 in.

**Part#: 99946400023**

# PPF-2620

## POWER PRUNER

A professional fixed length model with power for large branches.




- Overmolded front and rear hand grip for extreme comfort
- Magnesium gear case with side access chain tensioner
- Heavy-duty steel outer shaft for rigidity and control
- Automatic, adjustable oiler to match cutting conditions

Engine (cc) .....	<b>25.4</b>
Weight (lbs.) .....	<b>13.2</b>
Overall Length (in.) .....	<b>96</b>
Bar Length (in.).....	<b>12</b>
Fuel Capacity (fl. oz.).....	<b>20.6</b>
Oil Capacity (fl. oz.) .....	<b>6.6</b>

# PPT-2620

## POWER PRUNER

A professional telescoping model for higher branches and loop handle for more leverage.



- Overmolded rear hand grip for extreme comfort
- Magnesium gear case with side access chain tensioner
- Ribbed fiberglass outer shaft for rigidity and control
- Automatic, adjustable oiler to match cutting conditions

Engine (cc) .....	<b>25.4</b>
Weight (lbs.) .....	<b>17.4</b>
Overall Length (in.) .....	<b>107-146</b>
Bar Length (in.).....	<b>12</b>
Fuel Capacity (fl. oz.).....	<b>20.6</b>
Oil Capacity (fl. oz.) .....	<b>6.6</b>

# PPT-2620H

## POWER PRUNER

A professional telescoping model for higher branches with an in-line handle for extra comfort.



- Overmolded rear hand grip for extreme comfort
- Magnesium gear case with side access chain tensioner
- Ribbed fiberglass outer shaft for rigidity and control
- Automatic, adjustable oiler to match cutting conditions

Engine (cc) .....	<b>25.4</b>
Weight (lbs.) .....	<b>17</b>
Overall Length (in.) .....	<b>107-146</b>
Bar Length (in.).....	<b>12</b>
Fuel Capacity (fl. oz.).....	<b>20.6</b>
Oil Capacity (fl. oz.) .....	<b>6.6</b>

BAR				CHAIN				
Power Pruner Models	Length in (cm)	Nose	Bar Part #	Drive Link Count	Gauge (in.)	Pitch (in.)	Chain Part #	File Size (in.)
PPF-225, 99944200532	10 (25)	Sprocket Nose	<b>10A0CD3739C</b>	39	.050	3/8 lp	<b>91VXL39CQ</b>	5/32
PPF-2620, PPT-2620/H	12 (30)	Sprocket Nose	<b>12A0CD3744C</b>	44	.050	3/8 lp	<b>91VXL44CQ</b>	5/32
PPF-225, 99944200532	10 (25)	Sprocket Nose	<b>10A4CD3739C</b>	39	.043	3/8 lp	<b>90PX39CQ</b>	11/64
PPF-2620, PPT-2620/H	12 (30)	Sprocket Nose	<b>12A4CD3744C</b>	44	.043	3/8 lp	<b>90PX44CQ</b>	11/64

lp=Low Profile

The part numbers listed above (e.g. **91PXL52CQ**) include a two-or three-letter code that references the chain type. See detailed descriptions below.

### CHAIN TYPE: LOW-KICKBACK CHAIN

- PX** Low-vibration chisel cutters with ramped depth gauges, bumper drive links and standard sequence.
- BPX** Low-vibration chisel cutters with bumper drive links and standard sequence.
- PXL** Low-vibration semi-chisel cutter with ramped depth gauges, bumper drive links and longer top plate.

### CHAIN TYPE: PROFESSIONAL CHAIN

- LPX** Round-ground chisel cutters with bumper drive links and standard sequence.
- VXL** Low-vibration semi-chisel cutter with ramped depth gauges and longer top plate.



# POWER PRUNERS®

	PPF-225	PPF-2620	PPT-2620	PPT-2620H
<b>Features and Benefits</b>				
Tool-less air filter cover for easy access	•	•	•	•
2-stage air filter for improved filtration and long engine life		•	•	•
i-30™ starting system for 30% starting effort reduction	•			
Digital ignition system for easy starting	•	•	•	•
Purge bulb for easy starting	•	•	•	•
Galvanized steel tube for rigidity and durability	•	•		
Aluminum inner drive shaft for torsion strength and lightweight			•	•
Ribbed fiberglass outer shaft for rigidity and control			•	•
Ergonomic loop handle with rubber grip for comfort and handling			•	
In-line handle with rubber grip for comfort	•	•		•
Shock-absorbing drive shaft prevents damage to shaft	•	•	•	•
Automatic, adjustable oiler to match cutting conditions	•	•	•	•
Side-access chain tensioner for quick chain adjustments	•	•	•	•
Multi-layer flexible cable drive with lifetime warranty for buyer confidence	•	•	•	•
Rubberized front hand grip for comfort and vibration reduction	•	•		
1.5:1 gear ratio provides torque needed to cut large branches	•	•	•	•
Telescoping shaft for a variety of cutting heights			•	•

## SPECIFICATIONS

Model	Engine Disp. (cc)	Starting System	Fuel Cap. (fl. oz.)	Oil Cap. (fl. oz.)	Length Collapsed (in.)	Length Extended (in.)	Optional Extension (ft.)	Bar Length (in.)	Dry Weight* (lbs.)
PPF-225	21.2	i-30™	14.2	6.6	94	-	3	10	12.8
PPF-2620	25.4	Standard	20.6	6.6	96	-	3	12	13.2
PPT-2620	25.4	Standard	20.6	6.6	107	146	4	12	17.4
PPT-2620H	25.4	Standard	20.6	6.6	107	146	4	12	17.0

\*without bar and chain