# **PRO ATTACHMENT SERIES™**

The ECHO Pro Attachment Series<sup>™</sup> (PAS) is the perfect all-in-one solution. In a word, the system delivers versatility. The application flexibility of this expandable lineup is as limitless as your changing job requirements. When your job requires a change, a simple tool-less coupler makes changing to another tool quick and easy. The PAS system is also economical without having to purchase stand-alone, dedicated units or maintain multiple engines - all you need is one power head and a collection of attachments.





## PAS-225

#### The best choice for many residential yard chores.

- Tool-less coupler allows for fast, easy changes on multiple attachments
- Adjustable left-handed grip for desired operator's hand position
- Vibration reduction system for increased comfort
- Accepts up to 12 PAS attachments (see page 51 for list)

Engine (cc)
Weight (lbs.)
Fuel Capacity (fl. oz.)
Shaft Length (in.)

PAS-225SB POWER HEAD + TRIMMER ATTACHMENT

## PAS-225 power head with Speed-Feed<sup>®</sup> 400 trimmer attachment included.

- Tool-less coupler allows for fast easy changes on multiple attachments
- Speed-Feed<sup>\*</sup> 400 trimmer head reloads in seconds without disassembly
- Durable debris shield with cut-off knife
- Accepts up to 12 PAS attachments (see page 51 for list)

Engine (cc) 21	.2
Head Weight (lbs.)9	.4
Total Shaft Length (in.)	59
Fuel Capacity (fl. oz.) <b>14</b>	.2
Cutting Head: Speed-Feed* 40	0
Cutting Swath (in.)	17

## PAS-225VPB





## Value pack that includes PAS-225 power head and Speed-Feed® 400 trimmer and blower attachments.

- Tool-less coupler allows for fast easy changes on multiple attachments
- Speed-Feed 400 trimmer head reloads in seconds without disassembly
- Blower attachment features 100 MPH air flow and 317 CFM
- Accepts up to 12 PAS attachments (see page 51 for list)

Engine (cc)	21.2
Head Weight (lbs.)	9.4
Total Shaft Length (in.)	.40.7
Fuel Capacity (fl. oz.)	14.2
Cutting Head: Speed-Feed	400
Cutting Swath (in.)	17
Max Air Speed at nozzle (mph)	100
Air volume at nozzle	317

## Value pack that includes PAS-225 power head and Speed-Feed<sup>®</sup> 400 trimmer and curved shaft edger attachments.

- Tool-less coupler allows for fast easy changes on multiple attachments
- Speed-Feed<sup>®</sup> 400 trimmer head reloads in seconds without disassembly
- Edger attachment features clog-resistant, open-faced shield
- Accepts up to 12 PAS attachments (see page 51 for list)

Engine (cc)	. 21.2
Head Weight (lbs.)	9.4
Total Shaft Length (in.)	40.7
Fuel Capacity (fl. oz.)	.14.2
Cutting Head: Speed-Feed*	400
Cutting Swath (in.)	17
Blade Length (in.)	.7.75



## PAS-2620 POWER HEAD

#### More power for commercial applications

- Tool-less coupler allows for fast easy changes on up to 15 attachments (see page 51 for list)
- Tool-less access, two-stage air filtration system dramatically increases ease of maintenance
- Engine vibration reducing mounting absorbs engine vibration
- Cushioned front and rear handles increase operator comfort

Engine (cc)	
Weight (lbs.)	
Fuel Capacity (fl. oz.)	20.6
Shaft Length (in.)	40.7



#### **Curved Shaft Trimmer**

- Rapid Loader<sup>®</sup> head
- Curved shaft for precise trimming

#### • Length: 33 in. Weight: 3.9 lbs.

#### Part#: 99944200615



#### Speed-Feed<sup>®</sup> 400 Trimmer

- 1.62:1 gear ratio
- Easy-loading Speed-Feed 400\*
- Length: 34 in. Weight: 3 lbs.

Part#: 99944200540



#### **Pro-Torque<sup>™</sup> Trimmer**

- Pro-Torque gear case increases cutting torque by 50%
- ECHOmatic<sup>™</sup> trimmer head
- · Length: 34 in. Weight: 3.2 lbs.

Part#: 99944200545

#### **Bed Redefiner**

- Patented, replaceable 6-finger steel claw
- Adjustable support wheel
- Length: 34.8 in. Weight: 8.5 lbs.
- Part#: 99944200465



#### **Curved Shaft Edger**

- Pro-Torque<sup>™</sup> gear case
- Blade length: 7.75 in.
- · Length: 33 in. Weight: 5.6 lbs.
- Part#: 99944200470AB

#### **Tiller/Cultivator**

- 6.5 in tilling swath
- Heavy-duty gear box
- 42:1 gear reduction
- · Length: 35 in. Weight: 4.6 lbs.
- Part#: 99944200513

#### **Mid-Reach Hedge Trimmer**

- 21 in. double-sided double-reciprocating RazorEdge<sup>®</sup> blades
- · Length: 37.9 in. Weight: 3.63 lbs. Part#: 99944200640

#### 3 ft. Extension

- Tool-less coupler attaches between the PAS power head and attachment
- Compatible with Power Pruner<sup>®</sup> and all hedge trimmer attachments
- · Length: 36 in. Weight: 2.6 lbs.
- Part#: 99944200536

#### Pro Paddle<sup>™</sup>

- 10, 1.625 in. durable rubber fins
- 22.5 in sweeping swath
- Useful for rocks, mulch, pine needles, pine cones, acorns and sand
- · Length: 36.5 in. Weight: 11.2 lbs. Part#: 99944200620

#### Brushcutter

- 1.62:1 gear ratio
- Includes 8 in. 80-tooth brush blade
- Length: 33 in. Weight: 2.62 lbs.

Part#: 99944200601

#### Blower

- Solid drive shaft with 4-bearing support
- Direct-drive fan for efficient power transfer
- · Length: 25 in. Weight: 3.9 lbs.
- Part#: 99944200490

#### Straight Shaft Edger

- Pro-Torque<sup>™</sup> gear case
- Blade length: 7.75 in.
- Length: 33 in. Weight: 5.6 lbs.
- Part#: 99944200475

#### Standard Hedge Trimmer

- 21 in. double-sided double-reciprocating RazorEdge<sup>®</sup> blades
- · Length: 50.1 in. Weight: 4.13 lbs.
- Part#: 99944200486

#### **Articulating Hedge Trimmer**

- 10 blade positions with range of 135°
- 21 in. double-sided double-reciprocating RazorEdge<sup>®</sup> blades
- 64.4 in. length (extended), 46.3 in. length (storage position)
- Length: 64.4 in. Weight: 5.6 lbs.

Part#: 99944200596

#### Power Pruner<sup>®</sup>

- Heavy-duty gear case and automatic oiler
- Over 8 ft. of total reach
- Comes with a 10 in. bar and chain
- Length: 57 in. Weight: 4.8 lbs.

Part#: 99944200532

#### Pro Sweep<sup>™</sup>

- 22.5 in. sweeping swath
- Perfect for all surfaces including lawn, concrete and soil
- Length: 36 in. Weight: 11.2 lbs.
- Part#: 99944200553









PRO ATTACHMENT SERIES™	PAS-225	PAS-225VP	PAS-225VPB	PAS-225SB	PAS-2620	DPAS-21005B 56V	DPAS-2600SB 56V
Features and Benefits							
Tool-less air filter cover for easy access	•	•	•	•	•		
Commercial-grade felt air filtration for long engine life	•	•	•	•			
2-stage air filter for improved filtration and long engine life					•		
i-30 <sup>™</sup> starting system for 30% starting effort reduction	•	•	•	•			
Digital ignition system for easy starting	•	•	•	•	•		
Purge bulb for easy starting	•	•	•	•	•		
Heavy-duty cylinder/piston plating for increased engine life					•		
Ergonomic throttle handle with rubber grip for comfort	•	•	•	•	•		
Ergonomic, adjustable front handle for a custom fit	•	•	•	•	•		
Engine vibration-reduction system for operator comfort	•	•	•	•	•		
Attachment Compatibility							
Curved Shaft Trimmer	•	•	•	•		•	•
Speed-Feed <sup>®</sup> Trimmer	•	•	•	•	•	•	•
Pro-Torque <sup>™</sup> Trimmer	•	•	•	•	•	•	•
Brushcutter	•	•	•	•	•	•	•
Bed Redefiner					•		•
Blower	•	•	•	•	•	•	•
Curved Shaft Edger	•	•	•	•	•	•	•
Straight Shaft Edger					•	•	•
Tiller/Cultivator	•	•	•	•	•	•	•
Hedge Trimmer	•	•	•	•	•	•	•
Mid-Reach Hedge Trimmer	•	•	•	•	•	•	•
180° Articulating Hedge Trimmer	•	•	•	•	•	•	•
3 ft. Extension	•	•	•	•	•	•	•
Power Pruner	•	•	•	•	•	•	•
Pro Paddle™					•	•	•
Pro Sweep <sup>™</sup>					•	•	•

### **SPECIFICATIONS**

Model	Engine Disp. (cc)	Carb. (w/Purge Pump)	Fuel Capacity (fl. oz.)	Starting System	Length* (in.)	Dry Weight (lbs.)*
PAS-225	21.2	Rotary	14.2	i-30™	40.7	9.4
PAS-225VP	21.2	Rotary	14.2	i-30™	40.7	9.4
PAS-225VPB	21.2	Rotary	14.2	i-30™	40.7	9.4
PAS-225SB	21.2	Rotary	14.2	i-30™	40.7	9.4
PAS-2620	25.4	Rotary	20.6	Standard	40.7	9.9

\*Power head only